UNITED STATES DEPARTMENT OF COMMERCE.
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10 584,024	04/30/2008	Valerie Frankard	1187-31	4438

28249 7590 02/14/2011
DILWORTH & BARRESE, LLP
1000 WOODBURY ROAD
SUITE 405
WOODBURY, NY 11797

RECEIVED
FEB 16 2011
DILWORTH & BARRESE, LLP

EXAMINER
COLLINS, CYNTHIA E

ART UNIT	PAPER NUMBER
1638	

MAIL DATE	DELIVERY MODE
02/14/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

APPLICATION NO. /CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10584024	4/30/2008	FRANKARD ET AL.	1187-31

EXAMINER
Cynthia Collins

ART UNIT	PAPER
1638	20110204

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents

     This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 C.F.R. § 1.821(a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 C.F.R. §§ 1.821-1.825 for the reason(s) set forth on the attached Notice To Comply With Requirements For Patent Applications Containing Nucleotide Sequence And/Or Amino Acid Sequence Disclosures. Applicant must comply with the requirements of the sequence rules (37 CFR 1.821 - 1.825) before the application can be examined under 35 U.S.C. §§ 131 and 132.

    APPLICANT IS GIVEN ONE MONTH FROM THE DATE OF THIS LETTER WITHIN WHICH TO COMPLY WITH THE SEQUENCE RULES, 37 C.F.R.. §§ 1.821-1.825. Failure to comply with these requirements will result in ABANDONMENT of the application under 37 C.F.R. § 1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 C.F.R. § 1.136. In no case may an applicant extend the period for response beyond the six month statutory period. Direct the response to the undersigned. Applicant is requested to return a copy of the attached Notice to Comply with the response.

    The addresses below are effective 5 June 2004. Please direct all replies to the United States Patent and Trademark Office via one (1) of the following:

1. Electronically submitted through EFS-Web (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual - ePAVE)

2. Mailed to:
   Mail Stop Sequence
   Commissioner for Patents
   P.O. Box 22313 1450
   Alexandria, VA 223 13 1450

3. Hand Carry, Federal Express, United Parcel Service or other delivery service to:
   U.S. Patent and Trademark Office
   Mail Stop Sequence
   Customer Window
   Randolph Building
   401 Dulaney Street
   Alexandria, VA 223 14

    Any inquiry concerning this communication should be directed to Cynthia Collins at telephone number (571) 272-0794. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anne Marie Grunberg, can be reached on (571)-272-0975

/Cynthia Collins/
Primary Examiner, Art Unit 1638

PTO-90C (Rev.3-98)

```
==============================================================
Sequence Listing could not be accepted due to errors.
See attached Validation Report.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: Anne Corrigan
Timestamp: [year=2010; month=12; day=14; hr=7; min=32; sec=9; ms=100; ]
==============================================================


*********************************************************
Reviewer Comments:
<210>  6
<211>  11
<212>  PRT
<213>  Unknown

<220>
<221>  misc_feature
<222>  3
<223>  Xaa at position 3 may be Val or Ile

<220>
<221>  misc_feature
<223>  Xaa at position 6 may be Ser or Ala

<220>
<221>  misc_feature
<222>  7
<223>  Xaa at position 7 may be Asp or Glu

<220>
<221>  misc_feature
<222>  8
<223>  Xaa at position 8 may be Asp or Glu

<220>
<221>  misc_feature
<222>  10
<223>  Xaa at positon 10 may be Lys, Arg or Thr
```

<400> 6

Trp Leu Xaa Glu Val Xaa Xaa Xaa Tyr Xaa Leu

Several errors above: the "<213> Unknown" requires an explanation in a
"<220>-<223>" section under it; although the "<213>" response is
"Unknown", please try to indicate the source of the genetic material
("Unknown" would not be a sufficient explanation). Please number the
amino acids under every 5 amino acids, beginning with "1"; do not use
TAB codes between amino acid numbers. TABs cause misaligned numbers.
Same errors in Sequence 7.

<210> 8
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 8

Trp Leu Val Glu Val Ser Glu Glu Tyr Lys Leu Val Ser Asp Thr

Please number the above amino acids; please remove the "<220>", since no
<221>, <222>, or <223> is shown. Same errors in Sequences 9-31.

<210> 29
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 29

Glu Leu Ser Met Leu Asp Tyr Gln Ser Val Lys Phe Leu Pro ser

Please: 1) remove the <220>; 2) number the amino acids; 3) replace "ser"
at location 15 with "Ser"

****

Application No: 10584024   Version No: 2.0

Input Set:

Output Set:

Started:	2010-12-03 12:58:28.054
Finished:	2010-12-03 12:58:29.111
Elapsed:	0 hr(s) 0 min(s) 1 sec(s) 57 ms
Total Warnings:	6
Total Errors:	3
No. of SeqIDs Defined:	31
Actual SeqID Count:	31

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (4)
W	213	Artificial or Unknown found in <213> in SEQ ID (5)
W	213	Artificial or Unknown found in <213> in SEQ ID (6)
E	224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (6)
W	213	Artificial or Unknown found in <213> in SEQ ID (7)
E	224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (7)
W	402	Undefined organism found in <213> in SEQ ID (13)
W	402	Undefined organism found in <213> in SEQ ID (25)
E	330	Invalid protein , found in SEQID(29) POS (15)Invalid Protein:ser

<400> 1
atgtattgct cttcttcgat gcatccaaat gcaaacaaag aaaatatctc tacttcagat   60

gtacaggaga gttttgtacg aataacgaga tcacgagcta aaaaagccat gggaagagga   120

gtatcaatac ctccaacaaa accttctttt aaacagcaaa agagacgtgc agtacttaag   180

gatgtgagta atacctctgc agatattatt tattcagaac ttcgaaaggg aggcaacatc   240

aaggcaaaca gaaaatgtct aaaagagcct aaaaaagcag caaaggaagg tgctaacagt   300

gccatggata ttctggtaga tatgcataca gaaaaatcaa aattagcaga agatttgtcc   360

aagatcagga tggctgaagc ccaagatgtc tctctttcaa actttaaaga tgaagaaatt   420

actgagcaac aagaagatgg atcaggtgtc atggagttac ttcaagttgt agatattgat   480

tccaacgtcg aagatccaca gtgttgcagc ttgtatgctg ctgatatata tgacaacata   540

catgttgcag agcttcaaca acgaccttg gctaattata tggagcttgt gcagcgagat   600

atcgacccag acatgagaaa gattctgatt gactggcttg tagaagtttc tgacgactac   660

aagctggttc cagatacgct ttaccttaca gtgaatctta tcgaccggtt tctgtccaac   720

agttacattg aaaggcaaag actccagctc cttggtgtct cttgcatgct tatagcttca   780

```
aaatatgaag agctttccgc accaggggtg gaggagtttt gcttcattac ggccaacaca       840

tacacaagac cagaagtgct gagcatggag attcaaattc taaattttgt gcactttaga       900

ttatcggttc ctaccaccaa aacatttctg aggcggttca ttaaagcagc tcaagcttcg       960

tacaaggtgc ctttcattga actggagtat ttagcaaact atctcgccga attgacactg      1020

gtggaatata gtttcctaag gttcctgcca tcactaattg ctgcttcagc tgttttccta      1080

gcccgatgga cactcgacca aactgaccat ccttggaacc ctactctgca acactacacc      1140

agatatgagg tagctgagct gaagaacaca gttctcgcca tggaggactt gcagctcaac      1200

accagtggct gtactctcgc tgccacccgt gagaaataca accaaccaaa gtttaagagc      1260

gtggcaaagc tgacatctcc caaacgagtc acatcactat tctcaagatg a              1311
```

<210> 2
<211> 436
<212> PRT
<213> Arabidopsis thaliana

<220>
<221> MISC_FEATURE
<223> A variant of the sequence deposited under accession number
      NP_568248 contains an arginine instead of a proline on position
      284 and a phenylalanine instead of a serine on position 432

<400> 2

Met Tyr Cys Ser Ser Ser Met His Pro Asn Ala Asn Lys Glu Asn Ile
1   5   10   15

Ser Thr Ser Asp Val Gln Glu Ser Phe Val Arg Ile Thr Arg Ser Arg
            20   25   30

Ala Lys Lys Ala Met Gly Arg Gly Val Ser Ile Pro Pro Thr Lys Pro
        35   40   45

Ser Phe Lys Gln Gln Lys Arg Arg Ala Val Leu Lys Asp Val Ser Asn
    50   55   60

Thr Ser Ala Asp Ile Ile Tyr Ser Glu Leu Arg Lys Gly Gly Asn Ile
65   70   75   80

Lys Ala Asn Arg Lys Cys Leu Lys Glu Pro Lys Lys Ala Ala Lys Glu
            85   90   95
```

```
Gly Ala Asn Ser Ala Met Asp Ile Leu Val Asp Met His Thr Glu Lys
        100             105             110

Ser Lys Leu Ala Glu Asp Leu Ser Lys Ile Arg Met Ala Glu Ala Gln
        115             120             125

Asp Val Ser Leu Ser Asn Phe Lys Asp Glu Glu Ile Thr Glu Gln Gln
    130             135             140

Glu Asp Gly Ser Gly Val Met Glu Leu Leu Gln Val Val Asp Ile Asp
145             150             155             160

Ser Asn Val Glu Asp Pro Gln Cys Cys Ser Leu Tyr Ala Ala Asp Ile
            165             170             175

Tyr Asp Asn Ile His Val Ala Glu Leu Gln Gln Arg Pro Leu Ala Asn
        180             185             190

Tyr Met Glu Leu Val Gln Arg Asp Ile Asp Pro Asp Met Arg Lys Ile
    195             200             205

Leu Ile Asp Trp Leu Val Glu Val Ser Asp Asp Tyr Lys Leu Val Pro
    210             215             220

Asp Thr Leu Tyr Leu Thr Val Asn Leu Ile Asp Arg Phe Leu Ser Asn
225             230             235             240

Ser Tyr Ile Glu Arg Gln Arg Leu Gln Leu Leu Gly Val Ser Cys Met
            245             250             255

Leu Ile Ala Ser Lys Tyr Glu Glu Leu Ser Ala Pro Gly Val Glu Glu
            260             265             270

Phe Cys Phe Ile Thr Ala Asn Thr Tyr Thr Arg Pro Glu Val Leu Ser
            275             280             285

Met Glu Ile Gln Ile Leu Asn Phe Val His Phe Arg Leu Ser Val Pro
    290             295             300

Thr Thr Lys Thr Phe Leu Arg Arg Phe Ile Lys Ala Ala Gln Ala Ser
305             310             315             320
```

Tyr Lys Val Pro Phe Ile Glu Leu Glu Tyr Leu Ala Asn Tyr Leu Ala
            325   330   335

Glu Leu Thr Leu Val Glu Tyr Ser Phe Leu Arg Phe Leu Pro Ser Leu
            340   345   350

Ile Ala Ala Ser Ala Val Phe Leu Ala Arg Trp Thr Leu Asp Gln Thr
            355   360   365

Asp His Pro Trp Asn Pro Thr Leu Gln His Tyr Thr Arg Tyr Glu Val
        370   375   380

Ala Glu Leu Lys Asn Thr Val Leu Ala Met Glu Asp Leu Gln Leu Asn
385   390   ˙   395   400

Thr Ser Gly Cys Thr Leu Ala Ala Thr Arg Glu Lys Tyr Asn Gln Pro
                405   410   415

Lys Phe Lys Ser Val Ala Lys Leu Thr Ser Pro Lys Arg Val Thr Ser
            420   425   430

Leu Phe Ser Arg
        435

<210> 3
<211> 654
<212> DNA
<213> Oryza sativa

<400> 3
cttctacatc ggcttaggtg tagcaacacg actttattat tattattatt attattatta   60

ttattttaca aaaatataaa atagatcagt ccctcaccac aagtagagca agttggtgag   120

ttattgtaaa gttctacaaa gctaatttaa aagttattgc attaacttat ttcatattac   180

aaacaagagt gtcaatggaa caatgaaaac catatgacat actataattt tgtttttatt   240

attgaaatta tataattcaa agagaataaa tccacatagc cgtaaagttc tacatgtggt   300

gcattaccaa aatatatata gcttacaaaa catgacaagc ttagtttgaa aaattgcaat   360

ccttatcaca ttgacacata aagtgagtga tgagtcataa tattattttc tttgctaccc   420

atcatgtata tatgatagcc acaaagttac tttgatgatg atatcaaaga acatttttag   480

gtgcacctaa cagaatatcc aaataatatg actcacttag atcataatag agcatcaagt   540

aaaactaaca ctctaaagca accgatggga aagcatctat aaatagacaa gcacaatgaa   600

aatcctcatc atccttcacc acaattcaaa tattatagtt gaagcatagt agta   654

<210> 4
<211> 56
<212> DNA
<213> Artificial sequence

<220>
<223> primer PRM582

<400> 4
ggggacaagt ttgtacaaaa aagcaggctt cacaatgtat tgctcttctt cgatgc   56

<210> 5
<211> 52
<212> DNA
<213> Artificial sequence

<220>
<223> primer PRM583

<400> 5
ggggaccact ttgtacaaga aagctgggtg cttggtgtca tcttgagaat ag   52

<210> 6
<211> 11
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 3
<223> Xaa at position 3 may be Val or Ile

<220>
<221> misc_feature
<223> Xaa at position 6 may be Ser or Ala

<220>
<221> misc_feature
<222> 7
<223> Xaa at position 7 may be Asp or Glu

<220>
<221> misc_feature
<222> 8
<223> Xaa at position 8 may be Asp or Glu

<220>
<221> misc_feature
<222> 10
<223> Xaa at positon 10 may be Lys, Arg or Thr

<400> 6

Trp Leu Xaa Glu Val Xaa Xaa Xaa Tyr Xaa Leu

<210> 7
<211> 15
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 5
<223> Xaa at position 5 may be Val, Ile, Thr or Met

<220>
<221> misc_feature
<222> 6
<223> Xaa at position 6 may be Asp, Glu or Met

<220>
<221> misc_feature
<222> 8
<223> Xaa at position 8 may be Thr, Ser, His, Pro or Gly

<220>
<221> misc_feature
<222> 10
<223> Xaa at position 10 may be Arg or Leu

<220>
<221> misc_feature
<222> 11
<223> Xaa at position 11 may be Leu, Arg, Lys or Asn

<400> 7

Glu Leu Thr Leu Xaa Xaa Tyr Xaa Phe Xaa Xaa Phe Leu Pro Ser

<210> 8
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 8

Trp Leu Val Glu Val Ser Glu Glu Tyr Lys Leu Val Ser Asp Thr

<210> 9
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 9

Trp Leu Val Glu Val Ser Asp Asp Tyr Lys Leu Val Pro Asp Thr

<210> 10
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 10

Trp Leu Val Glu Val Ser Glu Glu Tyr Thr Leu Ala Ser Asp Thr

<210> 11
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 11

Trp Leu Val Glu Val Ser Glu Glu Tyr Thr Leu Val Pro Asp Thr

<210> 12
<211> 15
<212> PRT
<213> Oryza sativa

<220>

<400> 12

Trp Leu Val Glu Val Ser Glu Glu Tyr Lys Leu Val Pro Asp Thr

<210> 13
<211> 15
<212> PRT
<213> Medicago

<220>

<400> 13

Trp Leu Val Glu Val Ser Glu Gly Tyr Lys Leu Gln Ala Asn Thr

<210> 14
<211> 15

<212> PRT
<213> Nicotiana tabacum

<220>

<400> 14

Trp Leu Val Glu Val Ser Glu Glu Tyr Arg Leu Val Pro Asp Thr

<210> 15
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 15

Trp Leu Ile Glu Val Ser Glu Glu Tyr Arg Leu Val Pro Glu Thr

<210> 16
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 16

Trp Leu Val Glu Val Ala Glu Glu Tyr Arg Leu Ser Pro Glu Thr

<210> 17
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 17

Trp Leu Val Glu Val Ala Glu Glu Tyr Lys Leu Leu Ser Asp Thr

<210> 18
<211> 15
<212> PRT
<213> Oryza sativa

<220>

<400> 18

Trp Leu Val Glu Val Ala Glu Glu Tyr Arg Leu Val Pro Asp Thr

<210> 19
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 19

Trp Leu Ile Asp Val His Val Arg Phe Glu Leu Asn Pro Glu Thr

<210> 20
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 20

Glu Leu Thr Leu Thr Glu Tyr Thr Phe Arg Leu Phe Leu Pro Ser

<210> 21
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 21

Glu Leu Thr Leu Val Glu Tyr Ser Phe Leu Arg Phe Leu Pro Ser

<210> 22
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 22

Glu Leu Thr Leu Ile Asp Tyr His Phe Leu Lys Phe Leu Pro Ser

<210> 23
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 23

Glu Leu Thr Leu Met Asp Tyr Pro Phe Leu Lys Phe Leu Pro Ser

<210> 24
<211> 15
<212> PRT
<213> Oryza sativa

<220>

<400> 24

Glu Leu Thr Leu Ile Asp Tyr Ser Phe Leu Lys Phe Leu Pro Ser

<210> 25
<211> 15
<212> PRT
<213> Medicago

<220>

<400> 25

Glu Leu Thr Leu Met Asn Tyr Gly Phe Leu Asn Phe Leu Pro Ser

<210> 26
<211> 15
<212> PRT
<213> Nicotiana tabacum

<220>

<400> 26

Glu Leu Thr Leu Val Asp Tyr Gly Phe Leu Lys Phe Leu Pro Ser

<210> 27
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 27

Glu Leu Ser Leu Leu Glu Tyr Thr Met Leu Ser His Ser Pro Ser

<210> 28
<211> 15

<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 28

Glu Leu Ser Leu Leu Asp Tyr Ala Met Leu Arg Tyr Ala Pro Ser

<210> 29
<211> 15
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 29

Glu Leu Ser Met Leu Asp Tyr Gln Ser Val Lys Phe Leu Pro ser

<210> 30
<211> 15
<212> PRT
<213> Oryza sativa

<220>

<400> 30

Glu Leu Ser Leu Leu Glu Tyr Asn Leu Leu Ser Tyr Pro Pro Ser

<210> 31
<211> 16
<212> PRT
<213> Arabidopsis thaliana

<220>

<400> 31

Glu Leu Gly Val Met His Tyr Asp Thr Met Ile Met Phe Ser Pro Ser

END

Application Number: 10584024